



KONICA MINOLTA

AccurioPress

# AccurioPRESS C2070/C2060

Performance and versatility



Giving Shape to Ideas

# AccurioPRESS the new standard for Digital Colour Printing.



As a graphics professional, your client looks to you to get their vision to market.

Konica Minolta's AccurioPress C2070 C2060 series helps you do that and more, setting new standards for superior performance and unsurpassed value. We've built this series with one goal in mind: increase your output while reducing your costs. And we've done this by combining digital colour quality that rivals offset prints with advanced workflow and colour management tools that fine-tune accuracy while keeping costs down.

## At a glance

- Speeds up to 71 ppm
- Duplex printing on media weights up to 350 gsm
- Media sizes up to 330 X 487mm
- Banner printing up to 750 mm
- Colour consistency
- Choice of print controllers including Konica Minolta, Fiery and Creo
- Powerful finishing
- Single-pass duplex scanning at 240 images per minute
- Duty cycle: 750,000/ 550,000

## Produce high quality prints, consistently

Using Konica Minolta technology for colour consistency, high duty cycle, a reliable paper feeding system and accurate front-to-back registration, you'll wow your clients with stunning quality prints time and time again.

## Increase Your Efficiency

The AccurioPress produces high quality jobs at high speeds, with simple setup and long-run image stability for better output and less waste. The inline finishing options get the job done right from the start.

## Achieve Greater Impact

From envelopes to banners to thick paper including coated and synthetic, the AccurioPress C2070/2060 has superb media versatility and job handling. It opens new possibilities for your clients—and new opportunities for your business.

## Expand Your Finishing—and Business—Options

A wide variety of inline finishers creates output that's ready to box without any additional work needed — broadening the scope of what you can offer your clients.

## Superior High-Speed Scanning and Solution Integration

A new high-speed duplex scanner is an option on the AccurioPress, and easily integrates into existing solutions with support for Open API/ISW.

## Reliability You Can Trust

Purposely built to withstand rugged production demands, the AccurioPress comes with integrated software from leading graphic communication industry providers, IT solutions and more. And, as always, backed by the name you've come to trust: Konica Minolta.

# Bold, vivid colour. Precision quality.

---



## Great Colour Consistency & Stability

The AccurioPress C2070/C2060 provides superior colour consistency and stability run after run. Inline sensing ensures long-run precision. Automatic density adjustment, improved position accuracy and enhanced front-to-back registration control combine to keep your output stable without the need for operator intervention. And real-time engine calibration is done inline to stabilise colour values. What's more, our enhanced colour feedback system measures both CMYK and RGB, safeguarding colour purity and providing greater accuracy.



## Outstanding Quality

Konica Minolta's unique Screen-Enhancing Active Digital (S.E.A.D. V) system combines highly accurate exposure controls, precision pixel placement and advanced screening to achieve resolution equivalent to 3,600 dpi. You'll also have flexible processing and image smoothing control to match the needs of any customer file.



## Brilliance that Surpasses Offset Printing

Konica Minolta's next-generation Simitri® HDE polymerised toner captures an expanded colour gamut for superior accuracy. Deep blacks make colours pop off the page. Improved magenta makes reds more vivid. And enhanced electrophotographic properties make skin-tones more accurate and natural. Colour comes alive on any paper stock, as our 3-dimensional polymer structure adheres more precisely to rough paper surfaces. And a 10% higher overall percentage of pigment creates rich areas of solid colour and a smooth, natural luster on both glossy and matte stock.



---

## Konica Minolta specialists are there to help your business every step of the way!

Our highly skilled operator trainers will ensure that your Konica Minolta PRESS is working for your print requirements from the very first training session help desk experience and knowledge is only a phone call away, with expert assistance. The technical team offer quick response times to issues and can schedule service times that suit your business.

# We've set the standard in colour. Now we're redefining media capability.

At the heart of the AccurioPress C2070/C2060 is versatility — with a range of media options that expand the print products you can offer your clients.



## A Multitude of Media Choices

- Print on attention-getting paper stocks up to 350 gsm
- Produce optimized output on textured stocks
- Deliver richer, brighter solid colours on both glossy and matte stocks

## Superior Paper Feeding and Registration

A variety of paper feed options including vacuum feed and banner trays are available. Accurate front-to-back registration with skew correction is available using a semi-automated adjustment system.

## Large Capacity Banner Printing

The AccurioPress C2070/C2060 lets you think big, with a large capacity banner feed tray that prints up to 750mm and holds up to 1,000 banner sheets. Print eye-catching tri-fold brochures, book jacket covers, posters and more. Want to think even bigger? Banners of up to 1,200mm can be printed from the bypass tray.

## High-Speed Envelope Printing

A dedicated fusing unit for high-quality and high stability allows you to increase your capabilities and print envelopes, labels and more.

# Powerful finishing options that power your business.



## Finishing Options

The AccurioPress C2070/C2060 has a robust variety of finishing capabilities to meet your needs:



Booklets\*



Perfect Bound



Folding



GBC  
Punching  
and Binding



Stapling



Stacking

## A variety of print controllers to meet every need.

Konica Minolta's internal image controller was developed in-house for powerful, affordable colour management.

- Job Centro functionality lets you manage the queue, edit pages, job tickets and much more
- Colour Centro technology lets you edit colour with visible adjustments on screen. You'll have all the colour tools you need, including calibration, tone curve adjustment, an expandable library of spot colours and more
- Fiery and Creo image controller options give graphic professionals advanced colour management and production benefits. Both deliver improved colour performance and upgraded functions, including hot folders, advanced colour profiling, spot colour libraries and integration into third-party systems

**creo**  
SERVERS

**efi**



\*including high-quality full bleed, square folded varieties

# A great fit for a variety of print environments ...

## Commercial Print

Expanding your capabilities is simple with the AccurioPress C2070/C2060. This versatile press allows you to take advantage of a wide variety of paper stocks, for an even wider variety of applications, including publishing and digital packaging. And our lightning fast controllers connect seamlessly to all types of variable data applications.

## In-Plant/CRDs

Rapidly process jobs with an easy-to-use interface, new high-speed dual scanning, great printing quality and robust finishing options.

## Print for Pay

The quick print market can expand their opportunities and the type of products they offer their customers with the wide variety of media the AccurioPress C2070/C2060 can handle. It can print banners, envelopes, and booklets with full bleed.

---

# As well as our global environment

## Planet Ark

The Planet Ark program provides cost-free recycling for all our consumables, including toner cartridge and bottles. These waste products are recycled into a use-able resource rather than attributed to landfill.

## Sustainability

Our exclusive Simitri HDE toner formulation uses plant-based biomass material to reduce environmental impact. Our presses use recycled PC/ABS resins and bioplastics in many of the machine panels, providing a highly resilient material.

## EcoVision 2050

We're committed to a mid-century goal of reducing CO2 emissions by 80% from 2005 levels, minimizing greenhouse gases that may contribute to global warming. We pursue that goal every day—minimizing energy consumption, cutting pollution and using recycled materials in construction.



# AccurioPress C2070/C2060

Fiery ImageController IC-313	
Type	Server
CPU	Intel® Core™ i5-4570S Processor (6M Cache, up to 3.60 GHz)
Memory	4 GB
HDD	1 TB
Page-description language	Adobe PostScript 3 (3020), PDF 1.7, PPML v3.0GA, APPE 3.0, PCL 5/6 emulation
Printing method	Printing Method TCP/IP, SNMP, SMB, FTP, LPR, IPP, Bonjour
Applicable OS	Windows Vista / 7 / 8.1 / 10 / Windows Server 2008 / 2012*1 Mac OS X v10.8 / v10.9 / v10.10
Interface	10Base-T / 100Base-TX / 1000Base-T

\*1Including 64-bit versions.

Creo Image Controller IC-314	
Type	Server
CPU	Intel Core i7-4790S 3.2 GHz
Memory	12 GB (7 GB: system memory, 5 GB: image memory)
HDD	3 x 1 TB (1 TB system disk, 2 x 1 TB image disks)
Page-description language	Adobe Postscript CPSI 3020, APPE 3.4
Printing method	TCP/IP, SMB, LPR, Bonjour
Applicable OS	Windows 7 / 8.1 / 10 / Windows Server 2008 / 2012*1 Mac OS X v10.7 / v10.8 / v10.9 / v10.10 / v10.11
Interface	1 Gbit Ethernet LAN port x 2

\*1Including 64-bit versions.

Konica Minolta Image Controller IC-603	AccurioPress C2070	AccurioPress C2060
Type	AIO to the engine (option)	
CPU	Core i5 2400 3.1 GHz	Pentium G850 2.9 GHz
Memory	<b>Max.</b> C2070 – 18 GB, C2070P – 16 GB Including UK-104	<b>Max.</b> C2060 – 18 GB including UK-104, C2060L – 14 GB UK-104 not compatible
HDD	<b>Max.</b> 3.5 TB including UK-104	<b>Max.</b> C2060 – 3.5 TB including UK-104, C2060L – 3 TB UK-104 not compatible
Page-description language	Adobe PostScript3 (PS3020), PDF direct print (PDF version 1.7), APPE (version 3.4) (UK-104 or UK-214 is required), PDF/VT (version 2.0) (UK-104 or UK-214 is required), TIFF direct print (TIFF version 6 compliance), PPML (version 2.2), PCL-5c compatible, PCLXL (PCL6 version 3) compatible	
Printing method	Pserver (IPX/SPX), LPD / LPR (TCP/IP), IPP (TCP/IP), AppleTalk (EtherTalk), Bonjour (TCP/IP), Web service printing (TCP/IP), NPrinter / RPrinter (IPX/SPX), Raw Port (TCP/IP), SMB	
Applicable OS	<b>PS Plug-in:</b> Windows Vista / 7 / 8.1 / 10*1 Windows Server 2008*1 / 2008R2 / 2012*1 / 2012R2 Mac OS X v10.7 / v10.8 / v10.9 / v10.10 <b>PS PPD*2:</b> Windows Vista / 7 / 8.1 / 10*1 Windows Server 2008 / 2008R2 / 2012 / 2012R2*1 Linux CUPS	
Interface	Ethernet (1000BASE-T / 100Base-TX / 10Base-T) with IPv6, USB	
Scanner resolution	200 / 300 / 400 / 600 dpi	
Data format	PDF, TIFF, JPEG, XPS	
Driver	HDD Twain Driver, Real Time Mode Twain Driver	

Fiery Image Controller IC-417	
Type	Embedded
CPU	Intel® Celeron® Processor G1820 (2M Cache, 2.70 GHz)
Memory	2 GB
HDD	500 GB SATA
Page-description language	Adobe PostScript3 (PS3020), PDF 1.7), PCL 5/6 emulation
Printing method	TCP/IP, SNMP, SMB, FTP, LPR, IPP, Bonjour
Applicable OS	Windows Vista / 7 / 8.1 / 10*1 Windows Server 2008 / 2012*1 Mac OS X v10.8 / v10.9 / v10.10

\*1Including 64-bit versions.

Options	
CR-101	Creaser unit for SD-513
DF-706	Automatic document feeder
EF-103	Envelope fuser
FD-503	Multi-fold punch unit
FD-504	Square folding unit for SD-513
FS-532	100-sheet staple finisher
FS-612	Booklet finisher
GP-501	GBC multi-hole punch unit
GP-502	Inline ring binding unit
HM-102	Humidification unit
HT-514	Dehumidification heating unit for LU-202m / LU-202XL
HT-504	Dehumidification heating unit for PF-602m
HT-506	Dehumidification heating unit for PF-707
HT-511	Heating unit for main body trays
LC-501	Cart for LS-506
LS-506	Stacking unit
LU-202m	2,500-sheet paper feed unit
LU-202XL	2,500-sheet extra long paper feed unit
MB-506	Multi-Bypass tray
MK-732	Post-inserter mount kit for FS-532
MK-740	Banner tray unit
MK-746	Envelope Print Guide for LU-202m and LU-202XL
OC-511	Original cover
OT-510	Open stacker
OT-511	Output tray
PB-503	Perfect binder unit
PF-602m	6,000-sheet paper feed unit
PF-707	Vacuum paper feed unit
PI-502	Post inserter
PK-512	2/3-hole punch kit for FS-612/531
PK-522	2/3-hole punch for FS-532
RU-509	Relay unit
RU-510	Relay unit for GP-501
SD-506	Booklet making unit
SD-510	Saddle stitch kit for FS-532
SD-513	Saddle stitch unit
TU-503	Trimmer unit for SD-513

# Specifications

System Specifications	AccurioPress C2070	AccurioPress C2060
Resolution	1,200 x 1,200 dpi (3,600 equivalent) 8-bit, 256 gradations	1,200 x 1,200 dpi (3,600 equivalent) 8-bit, 256 gradations
Paper weight	<b>Standard:</b> 62–256 gsm <b>Opt.:</b> MB-506, LU-202 XL – 62-300 gsm PF-707 – 62-350 gsm	<b>Standard:</b> 62–256 gsm <b>Opt.:</b> MB-506, LU-202 XL – 62-300 gsm PF-707 – 62-350 gsm
Duplex unit	62–350 gsm	62–350 gsm
Paper sizes (max.)	<b>Standard:</b> 330 x 487 mm (13" x 19.2") <b>Opt.:</b> MB-506 – 330 x 1200 mm LU-202XL – 330 x 750 mm	<b>Standard:</b> 330 x 487 mm (13" x 19.2") <b>Opt.:</b> MB-506 – 330 x 1200 mm LU-202XL – 330 x 750 mm
Image loss (max.)	4 mm or less for top edge, 4.5 mm or less for bottom edge, 3.0 mm or less for right/left edges	4 mm or less for top edge, 4.5 mm or less for bottom edge, 3.0 mm or less for right/left edges
Paper input capacity	<b>Standard:</b> 1,500 sheets <b>Max.:</b> 7,500 sheets	<b>Standard:</b> 1,500 sheets <b>Max.:</b> 7,500 sheets
Paper output capacity	<b>Max.:</b> LS-506 Stacker – 5,000 FS-532 Finisher – 4,500	<b>Max.:</b> LS-506 Stacker – 5,000 FS-532 Finisher – 4,500
Main unit dimensions (W x D x H)	760 x 903 x 1,073mm	760 x 903 x 1,073mm
Main unit weight	316 kg	316 kg
Power requirements	240V, 50Hz, 20 Amp	240V, 50Hz, 20 Amp

Productivity		
A4 (Max. per minute)	71 ppm	61 ppm

Scanner Specifications		
Scan speed (A4)	120 ipm simplex / 240 duplex	120 ipm simplex / 240 duplex
Scan resolution	600 x 600 dpi	600 x 600 dpi
Scan modes	TWAIN scan; Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-Email; Scan to USB	TWAIN scan; Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-Email; Scan to USB
Scan formats	PDF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A-1a,1b (with IC-603)	PDF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A-1a,1b (with IC-603)

Copier Specifications		
Gradations	256 gradations	256 gradations
First copy out	7.1 sec. or less	7.6 sec. or less
Magnification	25–400%, in 0.1% steps	25–400%, in 0.1% steps



**KONICA MINOLTA**

Konica Minolta  
Business Solutions Australia Pty Ltd

**Free Call 1800 789 389**  
[konicaminolta.com.au](http://konicaminolta.com.au)



**Demonstration**  
**Want to learn more?**  
Book a demonstration  
today with an expert



**Software**  
**Want to innovate?**  
Automate your  
workflow



**Success Stories**  
**Want to succeed?**  
Find out how our  
customers do it



For more information, visit [konicaminolta.com.au/midrange](http://konicaminolta.com.au/midrange)

**Product appearance, configuration and/or specifications are subject to change without notice.**

The Konica Minolta logo and the symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, PageScope, Simitri and the Emporon logo are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Windows is registered trademark of Microsoft Corporation in the United States and other countries. Adobe and PostScript are registered trademarks or trademarks of Adobe Systems Incorporated. All other brand and product names are registered trademarks or trademarks of their respective owners.



**Ecology & Environment**

KONICA MINOLTA copiers and multi-functional products are designed with the environment in mind.

- Energy Star
- Eco-conscious Toners
- RoHS Compliance
- Production at ISO Certified Factories
- WEEE Compliance



**Requirements for safe use.**

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.
- Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).